



SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MAK-A3

Synonyms A3 ● ACID CLEANER ● MAK INDUSTRIAL WATER SYSTEMS MAK A3

1.2 Uses and uses advised against

Uses MEMBRANE CLEANER

1.3 Details of the supplier of the product

Supplier name MAK INDUSTRIAL WATER SOLUTIONS PTY LTD

Address 36 Beringarra Ave, Malaga, Western Australia, 6090, AUSTRALIA

Telephone +61 8 9249 8007 **Fax** +61 8 9249 8004

Email service.wa@makwater.com.au

Website http://makwater.com.au

1.4 Emergency telephone numbers

Emergency +61 8 9249 8007

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Acute Toxicity: Oral: Category 3 Skin Corrosion/Irritation: Category 1B

Serious Eye Damage / Eye Irritation: Category 1

Environmental Hazards

Aquatic Toxicity (Chronic): Category 3

2.2 GHS Label elements

Signal word DANGER

Pictograms





Hazard statements

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.



SDS Date: 23 Sep 2021 Revision No: 3.1

Page 1 of 7

PRODUCT NAME MAK-A3

Prevention statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response statements

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician. P321 Specific treatment is advised - see first aid instructions.

P363 Wash contaminated clothing before reuse.

Storage statements

P405 Store locked up.

Disposal statements

P501 Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

No information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
CITRIC ACID	77-92-9	201-069-1	>60%
AMMONIUM HYDROGEN DIFLUORIDE (AMMONIUM BIFLUORIDE)	1341-49-7	215-676-4	10 to 30%
SULPHAMIC ACID	5329-14-6	226-218-8	10 to 30%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye Keep patient calm. Immediately hold eyelids apart and irrigate entire eyeball with gentle flow of water for 15

to 20 minutes. Urgently seek eye specialist attention while continuing irrigation. Calcium gluconate gel may be applied to eyes if medical attention is delayed, or use a dedicated first aid device such as

HEXAFLUORINE® as per supplier's instructions.

Inhalation Quickly remove from exposure. Remove contaminated clothing, check there is no obstruction to the airway if

breathing is weak or has ceased and give artificial respiration, preferably using an oxygen resuscitator. Administer 2.5% calcium gluconate via nebuliser if available. In all cases summon ambulance and transport

to hospital for further observation.

Skin Flush affected area with copious quantities of water. Use an emergency shower for large areas. Remove

affected clothing as quickly as possible. Decontaminate with saline or water. Apply calcium gluconate 2.5% gel to contaminated skin, repeating every 15 minutes until pain ceases. If calcium gluconate gel is not available, an extemporaneous gel can be prepared by adding 10 mL of calcium gluconate injection 10% to 30 mL of sterile surgical lubricant. Alternatively, use a dedicated first aid device such as HEXAFLUORINE ® Autonomous Portable Shower as per supplier's instructions. Urgently transport to hospital and recommend

admission.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting. Rinse mouth out with water and give plenty of water to drink.

wherever the product is used or stored.

ChemAlert.

SDS Date: 23 Sep 2021 Revision No: 3.1

Page 2 of 7

PRODUCT NAME MAK-A3

4.2 Most important symptoms and effects, both acute and delayed

Exposure to high concentrations may result in immediate, severe, burning pain and whitish discoloration proceeding to blister formation. Exposure to lower concentrations may result in pain, redness, swelling and blistering - symptoms may be delayed. Eye exposure may result in severe burns with corneal destruction or opacification. If left untreated, blindness may result. Acute symptoms of inhalation may include coughing, choking, chest tightness, chills, fever and cyanosis. Ingestion may result in severe burns to the mouth, esophagus and stomach. Systemic fluoride toxicity may result from ingestion, inhalation, or extensive dermal burns; hypocalcaemia, hypomagnesemia, hyperkalaemia (potassium), pulmonary oedema, metabolic acidosis, ventricular arrhythmias and death may occur.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Water fog. Prevent contamination of drains and waterways.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases (nitrogen oxides, fluorides and hydrogen fluoride) when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

2X

- 2 Fine Water Spray.
- X Wear liquid-tight chemical protective clothing and breathing apparatus. Contain spill and run-off.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in plastic containers (high density polypropylene) in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills.

7.3 Specific end uses

No information provided.



SDS Date: 23 Sep 2021 Revision No: 3.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
	Reference	ppm	mg/m³	ppm	mg/m³
Fluorides, as F	SWA [AUS]		2.5		

Biological limits

Ingredient	Determinant	Sampling Time	BEI
AMMONIUM HYDROGEN DIFLUORIDE (AMMONIUM BIFLUORIDE)	Fluoride in urine	Prior to shift	2 mg/L
	Fluoride in urine	End of shift	3 mg/L

Reference: ACGIH Biological Exposure Indices

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended. Maintain dust levels below the recommended exposure standard.

PPE

Eye / Face Wear a faceshield.

Hands Wear butyl or viton® gloves.

Body Wear rubber boots and impervious coveralls.

Respiratory Where an inhalation risk exists, wear a Full-face Type B-Class P1 (Inorganic and Acid Gas and Particulate)

respirator. With prolonged use, wear an Air-line respirator.









9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

WHITE POWDER **Appearance ODOURLESS** Odour NON FLAMMABLE **Flammability** Flash point NOT RELEVANT **Boiling point** NOT AVAILABLE **Melting point** NOT AVAILABLE **Evaporation rate** NOT AVAILABLE

pН

Vapour density **NOT AVAILABLE**

Solubility (water) SOLUBLE

Vapour pressure **NOT AVAILABLE Upper explosion limit NOT RELEVANT** Lower explosion limit **NOT RELEVANT NOT AVAILABLE Partition coefficient Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties** NOT AVAILABLE **Oxidising properties NOT AVAILABLE Odour threshold NOT AVAILABLE**

10. STABILITY AND REACTIVITY



SDS Date: 23 Sep 2021

Page 4 of 7 Revision No: 3.1

PRODUCT NAME MAK-A3

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), alkalis (e.g. sodium hydroxide) and metals. Will evolve highly toxic/corrosive hydrofluoric acid in contact with water.

10.6 Hazardous decomposition products

May evolve toxic gases when strongly heated.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Toxic if swallowed. Ingestion may result in burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
CITRIC ACID	3000 mg/kg (rat)	> 2000 mg/kg (rat)	
AMMONIUM HYDROGEN DIFLUORIDE (AMMONIUM BIFLUORIDE)	130 mg/kg (rat)		
SULPHAMIC ACID	3160 mg/kg (rat)		

Contact may result in burning sensation and deep burns with tissue damage. Skin

Causes burns. Contact may result in irritation, lacrimation, pain, redness, corneal burns and possible Eve

permanent damage.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Not classified as causing aspiration.

Mutagenicity Not classified as a mutagen. Carcinogenicity Not classified as a carcinogen. Reproductive

Not classified as a reproductive toxin.

STOT - single Over exposure may result in mucous membrane irritation of the respiratory tract, coughing, bronchitis, ulceration, bloody nose, lung tissue damage, chemical pneumonitis, and pulmonary oedema.

exposure

Repeated exposure may result in discolouration of teeth; as well as lung, kidney, liver, ligament and bone STOT - repeated (osteosclerosis, skeletal fluorosis) damage.

exposure

12.1 Toxicity

Aspiration

Harmful to aquatic life with long lasting effects.

12. ECOLOGICAL INFORMATION

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

ChemAlert.

SDS Date: 23 Sep 2021 Revision No: 3.1

12.5 Other adverse effects

WATER: If ammonium fluoride is released to water, the fluoride component may be toxic to fish and aquatic plants above 1.5 ppm. ATMOSPHERE: Dust/fumes are toxic, however dust will be removed by gravity and washout by rain. SOIL: Ammonium compounds will biodegrade and not accumulate in the food chain. Soil binds fluorides if the pH is high or if there are high calcium levels.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal For small amounts (as determined by risk assessment or similar): Wearing the protective equipment detailed

above, neutralise to pH 6-8 by SLOW addition to a saturated sodium bicarbonate solution or similar basic solution. Dilute with excess water and flush to drain. Waste disposal should only be undertaken in a well

ventilated area. For larger amounts: Dispose in accordance with local regulations.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	1727	1727	1727
14.2 Proper Shipping Name	AMMONIUM HYDROGENDIFLUORIDE, SOLID	AMMONIUM HYDROGENDIFLUORIDE, SOLID	AMMONIUM HYDROGENDIFLUORIDE, SOLID
14.3 Transport hazard class	8	8	8
14.4 Packing Group	II	II	II

14.5 Environmental hazards

Not a Marine Pollutant.

14.6 Special precautions for user

 Hazchem code
 2X

 GTEPG
 8C2

 EmS
 F-A, S-B

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classified as a Schedule 7 (S7) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

16. OTHER INFORMATION

Additional information

ACIDS: When mixing acids with water (diluting), caution must be taken as heat will be generated which causes violent spattering. Always add a small volume of acid to a large volume of water, NEVER the reverse.

Chemalert. Page 6 of 7

SDS Date: 23 Sep 2021 Revision No: 3.1 RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]



SDS Date: 23 Sep 2021 Revision No: 3.1

Page 7 of 7